

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**



Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


## **IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
Please do not report the images to the  
Image Problem Mailbox.






**FIG. 3**



**FIG. 4**



**FIG. 5**




Fig. 6



Fig. 12




Fig. 10




Fig. 8




Fig. 11A




Fig. 7




Fig. 9




Fig. 11B

Fig. 13





Fig. 14

Fig. 16




Fig. 15




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 25





Fig. 24B











Fig. 30

400

448

462

464

470

31

420

436

402

424

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418

31

412

446

434

410

408

434

402

436

448

476

478

470

418


31

412

446

434












Fig. 42




Fig. 43








Fig. 44

Fig. 45








Fig. 48




Fig. 49




Fig. 50A




Fig. 50B




Fig. 51




Fig. 52

Fig. 54





Fig. 53




Fig. 55



Fig. 56




Fig. 57





Fig. 58



**Edit Phase Information**

	Phase 1	Phase 2	Phase 3	Phase 4	Phase 5
Phase Length:	28	0	0	0	0
Isometrics:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Range Of Motion:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Proprioception:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Isotonics:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Isom, ROM, Prop    Ok    Cancel    Reset

Fig.  
59

**Edit Time Parameters For Exercises**

Current Phase = Phase 1

	Phase Length
Phase Length:	28
Rest Time Between Sets:	4
Rest Time Between Days:	10
Number of Sessions Per Day:	3

Ok    Cancel    Reset

Days: 5 10 15 20 25 30

Phase: 1

Fig.  
60

**Edit Isometric Exercise Parameters**

Current Phase = Phase 1

Exercise Shape: 2

Cycle Length (seconds): 10

Number of Cycles/Rep: 3

Number of ISO Reps/Ang: 5

Number of Angles/Set: 3

Angle Values (degrees):

1:	15
2:	45
3:	75

Days: 5 10 15 20 25 30

Phase: 1

Ok    Cancel    Reset

Fig.  
61






Fig.  
64

Edit Iso Exercise Shape Parameters

Exercise Shape Parameters for Angle 1



Angle: 15 degrees

Extension Torque: 5.000

Flexion Torque: 5.000

Total Cycle Length: 48 seconds

Extension Hold Time: 10

Flexion Hold Time: 10

Break Time: 10

Ramp Time: 2

Ok Cancel Reset

Fig 65

Plot Type

Select Plot Type

☒ Isometric Raw Data

☐ Isometric Compliance

☐ ROM Raw Data

☐ ROM Min/Max

Ok Help Cancel

Fig.  
66

